

 <p>U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration</p>	<p>ANNUAL REPORT FOR CALENDAR YEAR 2016 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS</p>	Initial Date Submitted	03/15/2017
		Report Submission Type	SUPPLEME NTAL
		Date Submitted	10/05/2017
<p>A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 42 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.</p> <p>Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at http://www.phmsa.dot.gov/pipeline/library/forms.</p>			
PART A - OPERATOR INFORMATION		DOT USE ONLY	20175977 - 33335
1. OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID) 18536	2. NAME OF OPERATOR: SOUTHWEST GAS CORP		
3. RESERVED	4. HEADQUARTERS ADDRESS: 5241 SPRING MOUNTAIN ROAD Street Address LAS VEGAS City State: NV Zip Code: 89150		
5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY GROUP: <i>(Select Commodity Group based on the predominant gas carried and complete the report for that Commodity Group. File a separate report for each Commodity Group included in this OPID.)</i> Natural Gas			
6. RESERVED			
7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARE: <i>(Select one or both)</i> INTERstate pipeline – List all of the States and OSC portions in which INTERstate pipelines and/or pipeline facilities included under this OPID exist. etc. INTRAstate pipeline – List all of the States in which INTRAstate pipelines and or pipeline facilities included under this OPID exist. ARIZONA, CALIFORNIA, NEVADA etc.			
8. RESERVED			

For the designated Commodity Group, PARTs B and D will be calculated based on the data entered in Parts L and P respectively. Complete Part C one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAsate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES	
	Number of HCA Miles
Onshore	119.398
Offshore	0
Total Miles	119.398

PART C - VOLUME TRANSPORTED IN TRANSMISSION PIPELINES (ONLY) IN MILLION SCF PER YEAR (excludes Transmission lines of Gas Distribution systems)	<input checked="" type="checkbox"/> Check this box and do not complete PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.	
	Onshore	Offshore
Natural Gas		
Propane Gas		
Synthetic Gas		
Hydrogen Gas		
Landfill Gas		
Other Gas - Name:		

PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	15.63 1	580.355	0	0	0	0	0	0	0	595.986
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	15.63 1	580.355	0	0	0	0	0	0	0	595.986
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	15.63 1	580.355	0	0	0	0	0	0	0	595.986

¹Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART E – RESERVED

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAstate pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero.

PARTs F and G	
The data reported in these PARTs applies to: <i>(select only one)</i>	
<input type="checkbox"/>	Interstate pipelines/pipeline facilities
<input checked="" type="checkbox"/>	Intrastate pipelines/pipeline facilities in the State of ARIZONA <i>(complete for each State)</i>

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	2.99
b. Dent or deformation tools	2.99
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
1. Internal Inspection Tools - Other	0
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	5.98
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	0
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	9.979
1. ECDA	9.979
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	2
1. ECDA	2
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	2
1. "Immediate repair conditions" [192.933(d)(1)]	2

2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	0
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	15.959
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	2
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	2
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	0
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	1
PART G— MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	
a. Baseline assessment miles completed during the calendar year.	5.266
b. Reassessment miles completed during the calendar year.	4.714
c. Total assessment and reassessment miles completed during the calendar year.	9.98

PARTS F and G
The data reported in these PARTs applies to: (select only one)
<input type="checkbox"/> Interstate pipelines/pipeline facilities
<input checked="" type="checkbox"/> Intrastate pipelines/pipeline facilities in the State of CALIFORNIA (complete for each State)

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0
b. Dent or deformation tools	0
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
1. Internal Inspection Tools - Other	0
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	0

b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	0
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	0
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G— MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	

a. Baseline assessment miles completed during the calendar year.	
b. Reassessment miles completed during the calendar year.	
c. Total assessment and reassessment miles completed during the calendar year.	

PARTs F and G

The data reported in these PARTs applies to: *(select only one)*

Interstate pipelines/pipeline facilities

Intrastate pipelines/pipeline facilities in the State of NEVADA *(complete for each State)*

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	1.3
b. Dent or deformation tools	1.3
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
1. Internal Inspection Tools - Other	0
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	2.6
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	3
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	1
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	1
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	1
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	0.3
1. ECDA	0.3
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	

1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	0
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	2.9
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	1
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	1
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	
a. Baseline assessment miles completed during the calendar year.	0.3
b. Reassessment miles completed during the calendar year.	1.3
c. Total assessment and reassessment miles completed during the calendar year.	1.6

For the designated Commodity Group, complete PARTs H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRASTATE pipelines and/or pipeline facilities for each State in which INTRASTATE systems exist within this OPID.

PARTs H, I, J, K, L, M, P, Q, and R									
The data reported in these PARTs applies to: (select only one)									
INTRASTATE pipelines/pipeline facilities ARIZONA									
PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore	NPS 4 or less	6	8	10	12	14	16	18	20
	65.575	70.89	40.747	35.126	28.988	0	19.689	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 5 - 22.479; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
283.494	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	
	Additional Sizes and Miles (Size – Miles;): - ; - ; - ; - ; - ; - ; - ; - ;								
	Total Miles of Offshore Pipe – Transmission								
PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	

	Additional Sizes and Miles (Size – Miles;):								
	Total Miles of Onshore Type A Pipe – Gathering								
Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	
	Additional Sizes and Miles (Size – Miles;):								
	Total Miles of Onshore Type B Pipe – Gathering								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	
	Additional Sizes and Miles (Size – Miles;):								
	Total Miles of Offshore Pipe – Gathering								

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	13.237	91.056	64.623	37.494
Offshore						
Subtotal Transmission	0	0	13.237	91.056	64.623	37.494
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	0	0	13.237	91.056	64.623	37.494
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	17.534	5.184	27.715	26.651		283.494
Offshore						
Subtotal Transmission	17.534	5.184	27.715	26.651		283.494
Gathering						

Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	17.534	5.184	27.715	26.651		283.494

PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH						
ONSHORE	CLASS LOCATION				Total Miles	
	Class 1	Class 2	Class 3	Class 4		
Steel pipe Less than 20% SMYS	18.366	3.174	69.136	1.93	92.606	
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	1.089	0.533	41.879	1.725	45.226	
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0.119	1.744	0	1.863	
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0	
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0	
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0	
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0	
Steel pipe Greater than 80% SMYS	0	0	0	0	0	
Steel pipe Unknown percent of SMYS	58.949	1.01	82.226	1.614	143.799	
All Non-Steel pipe	0	0	0	0	0	
Onshore Totals	78.404	4.836	194.985	5.269	283.494	
OFFSHORE	Class 1					
Less than or equal to 50% SMYS						
Greater than 50% SMYS but less than or equal to 72% SMYS						
Steel pipe Greater than 72% SMYS						
Steel Pipe Unknown percent of SMYS						
All non-steel pipe						
Offshore Total						
Total Miles	78.404					283.494

PART L - MILES OF PIPE BY CLASS LOCATION						
	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	78.404	4.836	194.985	5.269	283.494	51.943
Offshore		0	0	0	0	
Subtotal Transmission	78.404	4.836	194.985	5.269	283.494	
Gathering						

Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	78.404	4.836	194.985	5.269	283.494	51.943

PART M – FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	1			
Internal Corrosion	0	0	0	0	0			
Stress Corrosion Cracking	0	0	0	0	0			
Manufacturing	0	0	0	0	0			
Construction	1	0	0	0	0			
Equipment	1	0	0	0	0			
Incorrect Operations	0	0	0	0	0			
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0			
Previous Damage (due to Excavation Activity)	0	0	0	0	1			
Vandalism (includes all Intentional Damage)	0	0	0	0	0			
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0			
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0			
Other	0	0	0	0	0			
Total	2	0	0	0	2			

PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission	0	Gathering	0
---------------------	---	------------------	---

PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR

Transmission		Gathering	
Onshore	0	Onshore Type A	
		Onshore Type B	
OCS	0	OCS	
Subtotal Transmission	0	Subtotal Gathering	
Total		0	

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	15.631	267.863	0	0	0	0	0	0	0	283.494
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	15.631	267.863	0	0	0	0	0	0	0	283.494
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	15.631	267.863	0	0	0	0	0	0	0	283.494

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State

²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records	
Class 1 (in HCA)	0	0	0.088	0	0	0	0	0	0	0	0	0	0	0	
Class 1 (not in HCA)	0		16.124		0		62.192		0		0		0		
Class 2 (in HCA)	0	0	0.049	0	0	0	0	0	0	0	0	0	0	0	
Class 2 (not in HCA)	0		2.201		0		2.586		0		0		0		
Class 3 (in HCA)	0	0	10.565	0	0	0	38.424	0	0	0	0	0	0	0	
Class 3 (not in HCA)	0	0	35.536	0	0	0	110.46	0	0	0	0	0	0	0	
Class 4 (in HCA)	0	0	0.954	0	0	0	1.863	0	0	0	0	0	0	0	
Class 4 (not in HCA)	0	0	0.654	0	0	0	1.798	0	0	0	0	0	0		
Total	0	0	66.171	0	0	0	217.323	0	0	0	0	0	0	0	
Grand Total									283.494						
Sum of Total row for all "Incomplete Records" columns									0						

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection						
	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE
Class 1 in HCA	0	0.088	0	0	0	0
Class 2 in HCA	0	0.049	0	0	0	0
Class 3 in HCA	0	10.565	0	0	0	38.424
Class 4 in HCA	0	0.954	0	0	0	1.863
in HCA subTotal	0	11.656	0	0	0	40.287
Class 1 not in HCA	0	16.121	0	0	0	62.195
Class 2 not in HCA	0	2.201	0	0	0	2.586
Class 3 not in HCA	0	35.536	0	0	0	110.46
Class 4 not in HCA	0	0.654	0	0	0	1.798
not in HCA subTotal	0	54.512	0	0	0	177.039
Total	0	66.168	0	0	0	217.326
PT ≥ 1.25 MAOP Total			66.168	Total Miles Internal Inspection ABLE		0
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		283.494
PT < 1.1 or No PT Total			217.326	Grand Total		283.494
Grand Total			283.494			

PARTS H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: *(select only one)*
INTRASTATE pipelines/pipeline facilities CALIFORNIA

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20
	Onshore	0.056	0.018	0.079	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									
0.153	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38

	40	42	44	46	48	52	56	58 and over	
Additional Sizes and Miles (Size – Miles): - ; - ; - ; - ; - ; - ; - ; - ; - ;									

Total Miles of Offshore Pipe – Transmission

PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)

Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	

Additional Sizes and Miles (Size – Miles):

Total Miles of Onshore Type A Pipe – Gathering

Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	

Additional Sizes and Miles (Size – Miles):

Total Miles of Onshore Type B Pipe – Gathering

Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	

Additional Sizes and Miles (Size – Miles):

Total Miles of Offshore Pipe – Gathering

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	0
Offshore						
Subtotal Transmission	0	0	0	0	0	0
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	0	0	0	0	0	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	0.082	0.022	0.041	0.008		0.153
Offshore						
Subtotal Transmission	0.082	0.022	0.041	0.008		0.153
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	0.082	0.022	0.041	0.008		0.153

--	--	--	--	--	--	--

PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH

ONSHORE	CLASS LOCATION				Total Miles
	Class 1	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	0.119	0	0.034	0	0.153
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	0.119	0	0.034	0	0.153

OFFSHORE	Class 1	
Less than or equal to 50% SMYS		
Greater than 50% SMYS but less than or equal to 72% SMYS		
Steel pipe Greater than 72% SMYS		
Steel Pipe Unknown percent of SMYS		
All non-steel pipe		
Offshore Total		
Total Miles	0.119	0.153

PART L - MILES OF PIPE BY CLASS LOCATION

	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	0.119	0	0.034	0	0.153	0
Offshore		0	0	0	0	
Subtotal Transmission	0.119	0	0.034	0	0.153	
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	0.119	0	0.034	0	0.153	0

PART M – FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0			
Internal Corrosion	0	0	0	0	0			
Stress Corrosion Cracking	0	0	0	0	0			
Manufacturing	0	0	0	0	0			
Construction	0	0	0	0	0			
Equipment	0	0	0	0	0			
Incorrect Operations	0	0	0	0	0			
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0			
Previous Damage (due to Excavation Activity)	0	0	0	0	0			
Vandalism (includes all Intentional Damage)	0	0	0	0	0			
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0			
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0			
Other	0	0	0	0	0			
Total	0	0	0	0	0			

PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR			
Transmission	0	Gathering	0
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR			
Transmission		Gathering	
Onshore	0	Onshore Type A	
		Onshore Type B	
OCS	0	OCS	
Subtotal Transmission	0	Subtotal Gathering	
Total	0		

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	0.153	0	0	0	0	0	0	0	0.153
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	0.153	0	0	0	0	0	0	0	0.153
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	0.153	0	0	0	0	0	0	0	0.153

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State
²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		0.119		0		0		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0.034	0	0	0	0	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0.153	0	0	0	0	0	0	0	0	0	0	0
Grand Total								0.153						
Sum of Total row for all "Incomplete Records" columns								0						

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection

Location	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE
Class 1 in HCA	0	0	0	0	0	0
Class 2 in HCA	0	0	0	0	0	0
Class 3 in HCA	0	0	0	0	0	0
Class 4 in HCA	0	0	0	0	0	0
in HCA subTotal	0	0	0	0	0	0
Class 1 not in HCA	0	0.119	0	0	0	0
Class 2 not in HCA	0	0	0	0	0	0
Class 3 not in HCA	0	0.034	0	0	0	0
Class 4 not in HCA	0	0	0	0	0	0
not in HCA subTotal	0	0.153	0	0	0	0
Total	0	0.153	0	0	0	0
PT ≥ 1.25 MAOP Total			0.153	Total Miles Internal Inspection ABLE		0
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		0.153
PT < 1.1 or No PT Total			0	Grand Total		0.153
Grand Total			0.153			

PARTs H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: *(select only one)*
INTRASTATE pipelines/pipeline facilities NEVADA

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

Onshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0.236	8.592	9.637	33.229	74.607	0	119.855	0	21.31
	22	24	26	28	30	32	34	36	38
	0	44.873	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								

312.339 Total Miles of Onshore Pipe – Transmission

Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	
	Additional Sizes and Miles (Size – Miles;): - ; - ; - ; - ; - ; - ; - ; - ;								

Total Miles of Offshore Pipe – Transmission

PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)

Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	22	24	26	28	30	32	34	36	38
	40	42	44	46	48	52	56	58 and over	
Additional Sizes and Miles (Size – Miles;):									

Total Miles of Onshore Type A Pipe – Gathering										
Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20	
	22	24	26	28	30	32	34	36	38	
	40	42	44	46	48	52	56	58 and over		
	Additional Sizes and Miles (Size – Miles;):									
	Total Miles of Onshore Type B Pipe – Gathering									
	Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
22		24	26	28	30	32	34	36	38	
40		42	44	46	48	52	56	58 and over		
Additional Sizes and Miles (Size – Miles;):										
Total Miles of Offshore Pipe – Gathering										

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	87.837	88.543	24.371
Offshore						
Subtotal Transmission	0	0	0	87.837	88.543	24.371
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						
Total Miles	0	0	0	87.837	88.543	24.371
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	1.695	79.557	29.022	1.314		312.339
Offshore						
Subtotal Transmission	1.695	79.557	29.022	1.314		312.339
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						

Subtotal Gathering						
Total Miles	1.695	79.557	29.022	1.314		312.339
PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH						
ONSHORE	CLASS LOCATION				Total Miles	
	Class 1	Class 2	Class 3	Class 4		
Steel pipe Less than 20% SMYS	0.249	0	10.564	0.099	10.912	
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	41.977	1.697	46.767	1.689	92.13	
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	43.097	0.496	39.343	2.233	85.169	
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	60.507	0.462	29.103	0.656	90.728	
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	7.233	0	0	0	7.233	
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0	
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0	
Steel pipe Greater than 80% SMYS	0	0	0	0	0	
Steel pipe Unknown percent of SMYS	23.307	1.209	1.651	0	26.167	
All Non-Steel pipe	0	0	0	0	0	
Onshore Totals	176.37	3.864	127.428	4.677	312.339	
OFFSHORE	Class 1					
Less than or equal to 50% SMYS						
Greater than 50% SMYS but less than or equal to 72% SMYS						
Steel pipe Greater than 72% SMYS						
Steel Pipe Unknown percent of SMYS						
All non-steel pipe						
Offshore Total						
Total Miles	176.37					312.339
PART L - MILES OF PIPE BY CLASS LOCATION						
	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	176.37	3.864	127.428	4.677	312.339	67.455
Offshore		0	0	0	0	
Subtotal Transmission	176.37	3.864	127.428	4.677	312.339	
Gathering						
Onshore Type A						
Onshore Type B						
Offshore						
Subtotal Gathering						

Total Miles	176.37	3.864	127.428	4.677	312.339	67.455		
PART M – FAILURES, LEAKS, AND REPAIRS								
PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR								
Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0			
Internal Corrosion	0	0	0	0	0			
Stress Corrosion Cracking	0	0	0	0	0			
Manufacturing	0	0	0	0	1			
Construction	0	0	0	0	0			
Equipment	1	0	0	0	1			
Incorrect Operations	0	0	0	0	0			
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0			
Previous Damage (due to Excavation Activity)	0	0	0	0	0			
Vandalism (includes all Intentional Damage)	0	0	0	0	0			
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0			
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0			
Other	0	0	0	0	0			
Total	1	0	0	0	2			
PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR								
Transmission	0	Gathering		0				
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR								
Transmission		Gathering						
Onshore	0	Onshore Type A						
		Onshore Type B						
OCS	0	OCS						
Subtotal Transmission	0	Subtotal Gathering						
Total	0							

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	312.339	0	0	0	0	0	0	0	312.339
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	312.339	0	0	0	0	0	0	0	312.339
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	312.339	0	0	0	0	0	0	0	312.339

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State

²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0.303	0	0	0	0	0
Class 1 (not in HCA)	18.445		14.211		0		0		80.884		0		62.527	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0.227	0	0	0	0	0
Class 2 (not in HCA)	0.159		0.821		0		0		2.657		0		0	
Class 3 (in HCA)	34.624	0	21.598	0	0	0	0	0	6.881	0	0	0	0	0
Class 3 (not in HCA)	21.481	0	31.813	0	0	0	0	0	11.031	0	0	0	0	0
Class 4 (in HCA)	2.42	0	1.097	0	0	0	0	0	0.305	0	0	0	0	0
Class 4 (not in HCA)	0.262	0	0.593	0	0	0	0	0	0	0	0	0	0	
Total	77.391	0	70.133	0	0	0	0	0	102.288	0	0	0	62.527	0
Grand Total									312.339					
Sum of Total row for all "Incomplete Records" columns								0						

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	Part 192, Subpart K - Uprating
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection						
	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE
Class 1 in HCA	0	0	0	0	0	0.303
Class 2 in HCA	0	0	0	0	0	0.227
Class 3 in HCA	22.92	25.949	0	0	4.1	10.134
Class 4 in HCA	1.964	1.553	0	0	0	0.305
in HCA subTotal	24.884	27.502	0	0	4.1	10.969
Class 1 not in HCA	5.624	64.945	0	0	0	105.498
Class 2 not in HCA	0.159	0.821	0	0	0	2.657
Class 3 not in HCA	6.52	44.533	0	0	0.8	12.472
Class 4 not in HCA	0	0.855	0	0	0	0
not in HCA subTotal	12.303	111.154	0	0	0.8	120.627
Total	37.187	138.656	0	0	4.9	131.596
PT ≥ 1.25 MAOP Total			175.843	Total Miles Internal Inspection ABLE		42.087
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		270.252
PT < 1.1 or No PT Total			136.496	Grand Total		312.339
Grand Total			312.339			

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE

Roger Ragoonanan

(702) 876-7359

Telephone Number

Preparer's Name(type or print)

Administrator/Compliance

Preparer's Title

roger.ragoonanan@swgas.com

Preparer's E-mail Address

PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)

(702) 876-7112

Telephone Number

Jerome T. Schmitz

Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)

Vice President/Engineering Staff

Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)

Jerry.Schmitz@swgas.com

Senior Executive Officer's E-mail Address