

 <p>U.S. Department of Transportation Pipeline and Hazardous Materials Safety Administration</p>	<p>ANNUAL REPORT FOR CALENDAR YEAR 2018 NATURAL OR OTHER GAS TRANSMISSION and GATHERING SYSTEMS</p>	<p>Initial Date Submitted</p>	<p>03/13/2019</p>
		<p>Report Submission Type</p>	<p>INITIAL</p>
		<p>Date Submitted</p>	
<p>A federal agency may not conduct or sponsor, and a person is not required to respond to, nor shall a person be subject to a penalty for failure to comply with a collection of information subject to the requirements of the Paperwork Reduction Act unless that collection of information displays a current valid OMB Control Number. The OMB Control Number for this information collection is 2137-0522. Public reporting for this collection of information is estimated to be approximately 42 hours per response, including the time for reviewing instructions, gathering the data needed, and completing and reviewing the collection of information. All responses to this collection of information are mandatory. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: Information Collection Clearance Officer, PHMSA, Office of Pipeline Safety (PHP-30) 1200 New Jersey Avenue, SE, Washington, D.C. 20590.</p> <p>Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the PHMSA Pipeline Safety Community Web Page at http://www.phmsa.dot.gov/pipeline/library/forms.</p>			
<p>PART A - OPERATOR INFORMATION</p>		<p>DOT USE ONLY</p>	<p>20190711 - 36060</p>
<p>1. OPERATOR'S 5 DIGIT IDENTIFICATION NUMBER (OPID)</p> <p style="text-align: center;">18536</p>	<p>2. NAME OF OPERATOR:</p> <p style="text-align: center;">SOUTHWEST GAS CORP</p>		
<p>3. RESERVED</p>	<p>4. HEADQUARTERS ADDRESS:</p> <p>5241 SPRING MOUNTAIN ROAD Street Address</p> <p>LAS VEGAS City</p> <p>State: NV Zip Code: 89150</p>		
<p>5. THIS REPORT PERTAINS TO THE FOLLOWING COMMODITY GROUP: <i>(Select Commodity Group based on the predominant gas carried and complete the report for that Commodity Group. File a separate report for each Commodity Group included in this OPID.)</i></p> <p>Natural Gas</p>			
<p>6. RESERVED</p>			
<p>7. FOR THE DESIGNATED "COMMODITY GROUP", THE PIPELINES AND/OR PIPELINE FACILITIES INCLUDED WITHIN THIS OPID ARE: <i>(Select one or both)</i></p> <p>INTERstate pipeline – List all of the States and OSC portions in which INTERstate pipelines and/or pipeline facilities included under this OPID exist. etc.</p> <p>INTRAstate pipeline – List all of the States in which INTRAstate pipelines and or pipeline facilities included under this OPID exist. ARIZONA, CALIFORNIA, NEVADA etc.</p>			
<p>8. RESERVED</p>			

For the designated Commodity Group, PARTs B and D will be calculated based on the data entered in Parts L and P respectively. Complete Part C one time for all pipelines and/or pipeline facilities – both INTERstate and INTRAsate - included within this OPID.

PART B – TRANSMISSION PIPELINE HCA MILES	
	Number of HCA Miles
Onshore	107.897
Offshore	0
Total Miles	107.897

PART C - VOLUME TRANSPORTED IN TRANSMISSION PIPELINES (ONLY) IN MILLION SCF PER YEAR (excludes Transmission lines of Gas Distribution systems)	Check this box and do not complete PART C if this report only includes gathering pipelines or transmission lines of gas distribution systems.	
	<input checked="" type="checkbox"/>	
	Onshore	Offshore
Natural Gas		
Propane Gas		
Synthetic Gas		
Hydrogen Gas		
Landfill Gas		
Other Gas - Name:		

PART D - MILES OF STEEL PIPE BY CORROSION PROTECTION										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	15.63 1	535.495	0	0	0	0	0	0	0	551.126
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	15.63 1	535.495	0	0	0	0	0	0	0	551.126
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	15.63 1	535.495	0	0	0	0	0	0	0	551.126

¹Use of Composite pipe requires a PHMSA Special Permit or waiver from a State

PART E – RESERVED

For the designated Commodity Group, complete PARTs F and G one time for all INTERstate pipeline facilities included within this OPID and multiple times as needed for the designated Commodity Group for each State in which INTRAsate pipeline facilities included within this OPID exist. Part F "WITHIN AN HCA SEGMENT" data and Part G may be completed only if HCA Miles in Part L is greater than zero.

PARTs F and G	
The data reported in these PARTs applies to: <i>(select only one)</i>	
<input type="checkbox"/>	Interstate pipelines/pipeline facilities
<input checked="" type="checkbox"/>	Intrastate pipelines/pipeline facilities in the State of ARIZONA <i>(complete for each State)</i>

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0.744
b. Dent or deformation tools	0.744
c. Crack or long seam defect detection tools	
d. Any other internal inspection tools, specify other tools:	
1. Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	1.488
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	9
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	8
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	1
1. "Immediate repair conditions" [192.933(d)(1)]	1
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	0
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	37.361
1. ECDA	10.28
2. ICDA	27.081
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0

2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	38,849
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	8
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	1
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	1
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	0
PART G— MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	
a. Baseline assessment miles completed during the calendar year.	0
b. Reassessment miles completed during the calendar year.	14,652
c. Total assessment and reassessment miles completed during the calendar year.	14,652

PARTs F and G	
The data reported in these PARTs applies to: <i>(select only one)</i>	
<input type="checkbox"/>	Interstate pipelines/pipeline facilities
<input checked="" type="checkbox"/>	Intrastate pipelines/pipeline facilities in the State of CALIFORNIA <i>(complete for each State)</i>

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	0
b. Dent or deformation tools	0
c. Crack or long seam defect detection tools	0
d. Any other internal inspection tools, specify other tools:	0
1. Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	0
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	0

b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
1. ECDA	0
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	
1. "Immediate repair conditions" [192.933(d)(1)]	
2. "One-year conditions" [192.933(d)(2)]	
3. "Monitored conditions" [192.933(d)(3)]	
4. Other "Scheduled conditions" [192.933(c)]	
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	0
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	
PART G— MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	

a. Baseline assessment miles completed during the calendar year.	
b. Reassessment miles completed during the calendar year.	
c. Total assessment and reassessment miles completed during the calendar year.	

PARTs F and G

The data reported in these PARTs applies to: *(select only one)*

Interstate pipelines/pipeline facilities

Intrastate pipelines/pipeline facilities in the State of NEVADA *(complete for each State)*

PART F - INTEGRITY INSPECTIONS CONDUCTED AND ACTIONS TAKEN BASED ON INSPECTION	
1. MILEAGE INSPECTED IN CALENDAR YEAR USING THE FOLLOWING IN-LINE INSPECTION (ILI) TOOLS	
a. Corrosion or metal loss tools	8.626
b. Dent or deformation tools	8.626
c. Crack or long seam defect detection tools	
d. Any other internal inspection tools, specify other tools:	
1. Internal Inspection Tools - Other	
e. Total tool mileage inspected in calendar year using in-line inspection tools. (Lines a + b + c + d)	17.252
2. ACTIONS TAKEN IN CALENDAR YEAR BASED ON IN-LINE INSPECTIONS	
a. Based on ILI data, total number of anomalies excavated in calendar year because they met the operator's criteria for excavation.	0
b. Total number of anomalies repaired in calendar year that were identified by ILI based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
3. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON PRESSURE TESTING	
a. Total mileage inspected by pressure testing in calendar year.	0
b. Total number of pressure test failures (ruptures and leaks) repaired in calendar year, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of pressure test ruptures (complete failure of pipe wall) repaired in calendar year WITHIN AN HCA SEGMENT.	0
d. Total number of pressure test leaks (less than complete wall failure but including escape of test medium) repaired in calendar year WITHIN AN HCA SEGMENT.	0
4. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON DA (Direct Assessment methods)	
a. Total mileage inspected by each DA method in calendar year.	23.031
1. ECDA	11.841
2. ICDA	11.19
3. SCCDA	0
b. Total number of anomalies identified by each DA method and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	1
1. ECDA	1
2. ICDA	0
3. SCCDA	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	1

1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	1
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
5. MILEAGE INSPECTED AND ACTIONS TAKEN IN CALENDAR YEAR BASED ON OTHER INSPECTION TECHNIQUES	
a. Total mileage inspected by inspection techniques other than those listed above in calendar year.	0
1. Other Inspection Techniques	
b. Total number of anomalies identified by other inspection techniques and repaired in calendar year based on the operator's criteria, both within an HCA Segment and outside of an HCA Segment.	0
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT meeting the definition of:	0
1. "Immediate repair conditions" [192.933(d)(1)]	0
2. "One-year conditions" [192.933(d)(2)]	0
3. "Monitored conditions" [192.933(d)(3)]	0
4. Other "Scheduled conditions" [192.933(c)]	0
6. TOTAL MILEAGE INSPECTED (ALL METHODS) AND ACTIONS TAKEN IN CALENDAR YEAR	
a. Total mileage inspected in calendar year. (Lines 1.e + 3.a + 4.a.1 + 4.a.2 + 4.a.3 + 5.a)	40.283
b. Total number of anomalies repaired in calendar year both within an HCA Segment and outside of an HCA Segment. (Lines 2.b + 3.b + 4.b.1 + 4.b.2 + 4.b.3 + 5.b)	1
c. Total number of conditions repaired in calendar year WITHIN AN HCA SEGMENT. (Lines 2.c.1 + 2.c.2 + 2.c.3 + 2.c.4 + 3.c + 3.d + 4.c.1 + 4.c.2 + 4.c.3 + 4.c.4 + 5.c.1 + 5.c.2 + 5.c.3 + 5.c.4)	1
d. Total number of actionable anomalies eliminated by pipe replacement in calendar year WITHIN AN HCA SEGMENT:	0
e. Total number of actionable anomalies eliminated by pipe abandonment in calendar year WITHIN AN HCA SEGMENT:	0
PART G- MILES OF BASELINE ASSESSMENTS AND REASSESSMENTS COMPLETED IN CALENDAR YEAR (HCA Segment miles ONLY)	
a. Baseline assessment miles completed during the calendar year.	0
b. Reassessment miles completed during the calendar year.	22.432
c. Total assessment and reassessment miles completed during the calendar year.	22.432

For the designated Commodity Group, complete PARTs H, I, J, K, L, M, P Q and R covering INTERstate pipelines and/or pipeline facilities for each State in which INTERstate systems exist within this OPID and again covering INTRASTATE pipelines and/or pipeline facilities for each State in which INTRASTATE systems exist within this OPID.

PARTs H, I, J, K, L, M, P, Q, and R									
The data reported in these PARTs applies to: <i>(select only one)</i>									
INTRASTATE pipelines/pipeline facilities ARIZONA									
PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore	NPS 4 or less	6	8	10	12	14	16	18	20
	64.184	56.85	35.166	30.62	32.263	0	19.802	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 5 - 21.034; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
259.919	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Transmission								
PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	

	0	0	0	0	0	0	0	0	0
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Onshore Type A Pipe – Gathering								
Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Onshore Type B Pipe – Gathering								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Gathering								

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	6.449	79.941	59.275	36.752
Offshore						
Subtotal Transmission	0	0	6.449	79.941	59.275	36.752
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	6.449	79.941	59.275	36.752
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	15.257	3.868	27.355	31.022		259.919
Offshore						
Subtotal Transmission	15.257	3.868	27.355	31.022		259.919
Gathering						

Onshore Type A	0	0	0	0	0
Onshore Type B	0	0	0	0	0
Offshore					
Subtotal Gathering	0	0	0	0	0
Total Miles	<i>15.257</i>	<i>3.868</i>	<i>27.355</i>	<i>31.022</i>	<i>259.919</i>

PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH						
ONSHORE	CLASS LOCATION				Total Miles	
	Class 1	Class 2	Class 3	Class 4		
Steel pipe Less than 20% SMYS	15.665	3.362	69.527	1.907	90.461	
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	1.077	0	38.563	1.267	40.907	
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0.934	0	0.934	
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0	
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0	
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0	
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0	
Steel pipe Greater than 80% SMYS	0	0	0	0	0	
Steel pipe Unknown percent of SMYS	59.124	1.01	66.571	0.912	127.617	
All Non-Steel pipe	0	0	0	0	0	
Onshore Totals	75.866	4.372	175.595	4.086	259.919	
OFFSHORE	Class 1					
Less than or equal to 50% SMYS	0					
Greater than 50% SMYS but less than or equal to 72% SMYS	0					
Steel pipe Greater than 72% SMYS	0					
Steel Pipe Unknown percent of SMYS	0					
All non-steel pipe	0					
Offshore Total	0					
Total Miles	75.866					259.919

PART L - MILES OF PIPE BY CLASS LOCATION						
	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	75.866	4.372	175.595	4.086	259.919	49.636
Offshore	0	0	0	0	0	
Subtotal Transmission	75.866	4.372	175.595	4.086	259.919	
Gathering						

Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	75.866	4.372	175.595	4.086	259.919	

PART M – FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0	0	0	0
Internal Corrosion	0	0	0	0	0	0	0	0
Stress Corrosion Cracking	0	0	0	0	0	0	0	0
Manufacturing	0	0	0	0	1	0	0	0
Construction	0	0	0	0	0	0	0	0
Equipment	0	1	0	0	0	0	0	0
Incorrect Operations	0	0	0	0	0	0	0	0
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0	0	0	0
Previous Damage (due to Excavation Activity)	0	1	0	0	0	0	0	0
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0	0	0	0
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0
Other	0	1	0	0	0	0	0	0
Total	0	3	0	0	1	0	0	0

PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR

Transmission	1	Gathering	0
---------------------	---	------------------	---

PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR

Transmission		Gathering	
Onshore	0	Onshore Type A	0
		Onshore Type B	0
OCS	0	OCS	0
Subtotal Transmission	0	Subtotal Gathering	0
Total	0		

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS

	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	15.631	244.288	0	0	0	0	0	0	0	259.919
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	15.631	244.288	0	0	0	0	0	0	0	259.919
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	15.631	244.288	0	0	0	0	0	0	0	259.919

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State

²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records	
Class 1 (in HCA)	0	0	0.343	0	0	0	0	0	0	0	0	0	0	0	
Class 1 (not in HCA)	0		13.239		0		62.284		0		0		0		
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Class 2 (not in HCA)	0		1.83		0		2.542		0		0		0		
Class 3 (in HCA)	0	0	15.758	0	0	0	31.292	0	0	0	0	0	0	0	
Class 3 (not in HCA)	0	0	40.805	0	0	0	87.74	0	0	0	0	0	0	0	
Class 4 (in HCA)	0	0	1.083	0	0	0	1.16	0	0	0	0	0	0	0	
Class 4 (not in HCA)	0	0	0.492	0	0	0	1.351	0	0	0	0	0	0		
Total	0	0	73.55	0	0	0	186.369	0	0	0	0	0	0	0	
Grand Total									259.919						
Sum of Total row for all "Incomplete Records" columns									0						

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection						
	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
Location	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE
Class 1 in HCA	0	0.343	0	0	0	0
Class 2 in HCA	0	0	0	0	0	0
Class 3 in HCA	0	15.758	0	0	2.98	28.312
Class 4 in HCA	0	1.083	0	0	0	1.16
in HCA subTotal	0	17.184	0	0	2.98	29.472
Class 1 not in HCA	0	13.24	0	0	0	62.283
Class 2 not in HCA	0	1.83	0	0	0	2.542
Class 3 not in HCA	0	40.805	0	0	3.554	84.186
Class 4 not in HCA	0	0.492	0	0	0	1.351
not in HCA subTotal	0	56.367	0	0	3.554	150.362
Total	0	73.551	0	0	6.534	179.834
PT ≥ 1.25 MAOP Total			73.551	Total Miles Internal Inspection ABLE		6.534
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		253.385
PT < 1.1 or No PT Total			186.368	Grand Total		259.919
Grand Total			259.919			

PARTS H, I, J, K, L, M, P, Q, and R

The data reported in these PARTs applies to: *(select only one)*
INTRASTATE pipelines/pipeline facilities CALIFORNIA

PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)

	NPS 4 or less	6	8	10	12	14	16	18	20
	Onshore	0.044	0.018	0.075	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									
0.137	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38

	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									
0	Total Miles of Offshore Pipe – Transmission								

PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)

Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									

0 Total Miles of Onshore Type A Pipe – Gathering

Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									

0 Total Miles of Onshore Type B Pipe – Gathering

Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
Additional Sizes and Miles (Size – Miles): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;									

0 Total Miles of Offshore Pipe – Gathering

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	0	0	0
Offshore						
Subtotal Transmission	0	0	0	0	0	0
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	0	0	0
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	0.078	0.007	0.044	0.008		0.137
Offshore						
Subtotal Transmission	0.078	0.007	0.044	0.008		0.137
Gathering						
Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore						
Subtotal Gathering	0	0	0	0		0
Total Miles	0.078	0.007	0.044	0.008		0.137

PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH					
ONSHORE	CLASS LOCATION				Total Miles
	Class 1	Class 2	Class 3	Class 4	
Steel pipe Less than 20% SMYS	0	0	0	0	0
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	0.104	0	0.033	0	0.137
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	0	0	0	0	0
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	0	0	0	0	0
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	0	0	0	0	0
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0
Steel pipe Greater than 80% SMYS	0	0	0	0	0
Steel pipe Unknown percent of SMYS	0	0	0	0	0
All Non-Steel pipe	0	0	0	0	0
Onshore Totals	0.104	0	0.033	0	0.137

OFFSHORE	Class 1	
Less than or equal to 50% SMYS	0	
Greater than 50% SMYS but less than or equal to 72% SMYS	0	
Steel pipe Greater than 72% SMYS	0	
Steel Pipe Unknown percent of SMYS	0	
All non-steel pipe	0	
Offshore Total	0	0
Total Miles	0.104	0.137

PART L - MILES OF PIPE BY CLASS LOCATION

	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	0.104	0	0.033	0	0.137	0
Offshore	0	0	0	0	0	
Subtotal Transmission	0.104	0	0.033	0	0.137	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	
Total Miles	0.104	0	0.033	0	0.137	0

PART M – FAILURES, LEAKS, AND REPAIRS

PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR

Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0	0	0	
Internal Corrosion	0	0	0	0	0	0	0	
Stress Corrosion Cracking	0	0	0	0	0	0	0	
Manufacturing	0	0	0	0	0	0	0	
Construction	0	0	0	0	0	0	0	
Equipment	0	2	0	0	0	0	0	
Incorrect Operations	0	0	0	0	0	0	0	
Third Party Damage/Mechanical Damage								
Excavation Damage	0	0	0	0	0	0	0	
Previous Damage (due to Excavation Activity)	0	0	0	0	0	0	0	
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0	0	0	
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	
Total	0	2	0	0	0	0	0	

PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR			
Transmission	0	Gathering	0
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR			
Transmission		Gathering	
Onshore	0	Onshore Type A	0
		Onshore Type B	0
OCS	0	OCS	0
Subtotal Transmission	0	Subtotal Gathering	0
Total	0		

--	--	--	--	--	--	--	--	--	--	--

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS

	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	0.137	0	0	0	0	0	0	0	0.137
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	0.137	0	0	0	0	0	0	0	0.137
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	0.137	0	0	0	0	0	0	0	0.137

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State

²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 1 (not in HCA)	0		0.104		0		0		0		0		0	
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 2 (not in HCA)	0		0		0		0		0		0		0	
Class 3 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 3 (not in HCA)	0	0	0.033	0	0	0	0	0	0	0	0	0	0	0
Class 4 (in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Class 4 (not in HCA)	0	0	0	0	0	0	0	0	0	0	0	0	0	
Total	0	0	0.137	0	0	0	0	0	0	0	0	0	0	0
Grand Total								0.137						
Sum of Total row for all "Incomplete Records" columns								0						

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection

Location	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE	Miles Internal Inspection ABLE	Miles Internal Inspection NOT ABLE
Class 1 in HCA	0	0	0	0	0	0
Class 2 in HCA	0	0	0	0	0	0
Class 3 in HCA	0	0	0	0	0	0
Class 4 in HCA	0	0	0	0	0	0
in HCA subTotal	0	0	0	0	0	0
Class 1 not in HCA	0	0.104	0	0	0	0
Class 2 not in HCA	0	0	0	0	0	0
Class 3 not in HCA	0	0.033	0	0	0	0
Class 4 not in HCA	0	0	0	0	0	0
not in HCA subTotal	0	0.137	0	0	0	0
Total	0	0.137	0	0	0	0
PT ≥ 1.25 MAOP Total			0.137	Total Miles Internal Inspection ABLE		0
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABLE		0.137
PT < 1.1 or No PT Total			0	Grand Total		0.137
Grand Total			0.137			

PARTs H, I, J, K, L, M, P, Q, and R									
The data reported in these PARTs applies to: (select only one)									
INTRASTATE pipelines/pipeline facilities NEVADA									
PART H - MILES OF TRANSMISSION PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0.22	8.588	9.63	18.101	64.622	0	118.658	0	21.31
	22	24	26	28	30	32	34	36	38
	0	49.941	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
<i>291.07</i>	Total Miles of Onshore Pipe – Transmission								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
<i>0</i>	Total Miles of Offshore Pipe – Transmission								
PART I - MILES OF GATHERING PIPE BY NOMINAL PIPE SIZE (NPS)									
Onshore Type A	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								

0	Total Miles of Onshore Type A Pipe – Gathering								
Onshore Type B	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Onshore Type B Pipe – Gathering								
Offshore	NPS 4 or less	6	8	10	12	14	16	18	20
	0	0	0	0	0	0	0	0	0
	22	24	26	28	30	32	34	36	38
	0	0	0	0	0	0	0	0	0
	40	42	44	46	48	52	56	58 and over	
	0	0	0	0	0	0	0	0	
	Additional Sizes and Miles (Size – Miles;): 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0; 0 - 0;								
0	Total Miles of Offshore Pipe – Gathering								

PART J – MILES OF PIPE BY DECADE INSTALLED

Decade Pipe Installed	Unknown	Pre-40	1940 - 1949	1950 - 1959	1960 - 1969	1970 - 1979
Transmission						
Onshore	0	0	0	80.066	77.147	19.102
Offshore						
Subtotal Transmission	0	0	0	80.066	77.147	19.102
Gathering						
Onshore Type A	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0
Offshore						
Subtotal Gathering	0	0	0	0	0	0
Total Miles	0	0	0	80.066	77.147	19.102
Decade Pipe Installed	1980 - 1989	1990 - 1999	2000 - 2009	2010 - 2019	2020 - 2029	Total Miles
Transmission						
Onshore	1.364	78.576	32.612	2.203		291.07
Offshore						
Subtotal Transmission	1.364	78.576	32.612	2.203		291.07
Gathering						
Onshore Type A	0	0	0	0		0
Onshore Type B	0	0	0	0		0
Offshore						

Subtotal Gathering	0	0	0	0	0	0
Total Miles	1.364	78.576	32.612	2.203		291.07
PART K- MILES OF TRANSMISSION PIPE BY SPECIFIED MINIMUM YIELD STRENGTH						
ONSHORE	CLASS LOCATION				Total Miles	
	Class 1	Class 2	Class 3	Class 4		
Steel pipe Less than 20% SMYS	0.173	0	4.982	0.003	5.158	
Steel pipe Greater than or equal to 20% SMYS but less than 30% SMYS	38.535	0.171	34.51	1.501	74.717	
Steel pipe Greater than or equal to 30% SMYS but less than or equal to 40% SMYS	43.069	0.763	41.268	2.193	87.293	
Steel pipe Greater than 40% SMYS but less than or equal to 50% SMYS	58.366	0.466	32.312	0.05	91.194	
Steel pipe Greater than 50% SMYS but less than or equal to 60% SMYS	9.377	0	0.016	0	9.393	
Steel pipe Greater than 60% SMYS but less than or equal to 72% SMYS	0	0	0	0	0	
Steel pipe Greater than 72% SMYS but less than or equal to 80% SMYS	0	0	0	0	0	
Steel pipe Greater than 80% SMYS	0	0	0	0	0	
Steel pipe Unknown percent of SMYS	22.792	0.465	0.058	0	23.315	
All Non-Steel pipe	0	0	0	0	0	
Onshore Totals	172.312	1.865	113.146	3.747	291.07	
OFFSHORE	Class 1					
Less than or equal to 50% SMYS	0					
Greater than 50% SMYS but less than or equal to 72% SMYS	0					
Steel pipe Greater than 72% SMYS	0					
Steel Pipe Unknown percent of SMYS	0					
All non-steel pipe	0					
Offshore Total	0					0
Total Miles	172.312					291.07
PART L - MILES OF PIPE BY CLASS LOCATION						
	Class Location				Total Class Location Miles	HCA Miles in the IMP Program
	Class 1	Class 2	Class 3	Class 4		
Transmission						
Onshore	172.312	1.865	113.146	3.747	291.07	58.261
Offshore	0	0	0	0	0	
Subtotal Transmission	172.312	1.865	113.146	3.747	291.07	
Gathering						
Onshore Type A	0	0	0	0	0	
Onshore Type B	0	0	0	0	0	
Offshore	0	0	0	0	0	
Subtotal Gathering	0	0	0	0	0	

Total Miles	172.312	1.865	113.146	3.747	291.07	58.261		
PART M – FAILURES, LEAKS, AND REPAIRS								
PART M1 – ALL LEAKS ELIMINATED/REPAIRED IN CALENDAR YEAR; INCIDENTS & FAILURES IN HCA SEGMENTS IN CALENDAR YEAR								
Cause	Transmission Leaks, and Failures					Gathering Leaks		
	Leaks				Failures in HCA Segments	Onshore Leaks		Offshore Leaks
	Onshore Leaks		Offshore Leaks			Type A	Type B	
	HCA	Non-HCA	HCA	Non-HCA				
External Corrosion	0	0	0	0	0	0	0	
Internal Corrosion	0	0	0	0	0	0	0	
Stress Corrosion Cracking	0	0	0	0	0	0	0	
Manufacturing	0	0	0	0	0	0	0	
Construction	0	0	0	0	0	0	0	
Equipment	0	0	0	0	0	0	0	
Incorrect Operations	0	0	0	0	0	0	0	
Third Party Damage/Mechanical Damage								
Excavation Damage	0	1	0	0	0	0	0	0
Previous Damage (due to Excavation Activity)	0	0	0	0	1	0	0	0
Vandalism (includes all Intentional Damage)	0	0	0	0	0	0	0	0
Weather Related/Other Outside Force								
Natural Force Damage (all)	0	0	0	0	0	0	0	0
Other Outside Force Damage (excluding Vandalism and all Intentional Damage)	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Total	0	1	0	0	1	0	0	0
PART M2 – KNOWN SYSTEM LEAKS AT END OF YEAR SCHEDULED FOR REPAIR								
Transmission	0	Gathering		0				
PART M3 – LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR								
Transmission		Gathering						
Onshore	0	Onshore Type A		0				
		Onshore Type B		0				
OCS	0	OCS		0				
Subtotal Transmission	0	Subtotal Gathering		0				
Total	0							

PART P - MILES OF PIPE BY MATERIAL AND CORROSION PROTECTION STATUS										
	Steel Cathodically protected		Steel Cathodically unprotected		Cast Iron	Wrought Iron	Plastic	Composite ¹	Other ²	Total Miles
	Bare	Coated	Bare	Coated						
Transmission										
Onshore	0	291.07	0	0	0	0	0	0	0	291.07
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Transmission	0	291.07	0	0	0	0	0	0	0	291.07
Gathering										
Onshore Type A	0	0	0	0	0	0	0	0	0	0
Onshore Type B	0	0	0	0	0	0	0	0	0	0
Offshore	0	0	0	0	0	0	0	0	0	0
Subtotal Gathering	0	0	0	0	0	0	0	0	0	0
Total Miles	0	291.07	0	0	0	0	0	0	0	291.07

¹Use of Composite pipe requires PHMSA Special Permit or waiver from a State

²specify Other material(s):

Part Q - Gas Transmission Miles by §192.619 MAOP Determination Method

	(a)(1) Total	(a)(1) Incomplete Records	(a)(2) Total	(a)(2) Incomplete Records	(a)(3) Total	(a)(3) Incomplete Records	(a)(4) Total	(a)(4) Incomplete Records	(c) Total	(c) Incomplete Records	(d) Total	(d) Incomplete Records	Other ¹ Total	Other Incomplete Records	
Class 1 (in HCA)	0	0	0	0	0	0	0	0	0.303	0	0	0	0	0	
Class 1 (not in HCA)	18.439		14.196		0		0		76.851		0		62.523		
Class 2 (in HCA)	0	0	0	0	0	0	0	0	0.227	0	0	0	0	0	
Class 2 (not in HCA)	0.165		0.822		0		0		0.651		0		0		
Class 3 (in HCA)	34.777	0	16.915	0	0	0	0	0	3.391	0	0	0	0	0	
Class 3 (not in HCA)	26.004	0	29.033	0	0	0	0	0	3.026	0	0	0	0	0	
Class 4 (in HCA)	1.805	0	0.843	0	0	0	0	0	0	0	0	0	0	0	
Class 4 (not in HCA)	0.078	0	0.709	0	0	0	0	0	0.312	0	0	0	0		
Total	81.268	0	62.518	0	0	0	0	0	84.761	0	0	0	62.523	0	
Grand Total									291.07						
Sum of Total row for all "Incomplete Records" columns									0						

¹Specify Other method(s):

Class 1 (in HCA)		Class 1 (not in HCA)	Subpart K Uprating
Class 2 (in HCA)		Class 2 (not in HCA)	
Class 3 (in HCA)		Class 3 (not in HCA)	
Class 4 (in HCA)		Class 4 (not in HCA)	

Part R – Gas Transmission Miles by Pressure Test (PT) Range and Internal Inspection						
	PT ≥ 1.25 MAOP		1.25 MAOP > PT ≥ 1.1 MAOP		PT < 1.1 or No PT	
Location	Miles Internal Inspection ABL	Miles Internal Inspection NOT ABL	Miles Internal Inspection ABL	Miles Internal Inspection NOT ABL	Miles Internal Inspection ABL	Miles Internal Inspection NOT ABL
Class 1 in HCA	0	0	0	0	0	0.303
Class 2 in HCA	0	0	0	0	0	0.227
Class 3 in HCA	24.702	26.967	0	0	2.724	0.69
Class 4 in HCA	1.056	1.592	0	0	0	0
in HCA subTotal	25.758	28.559	0	0	2.724	1.22
Class 1 not in HCA	5.621	27.003	0	0	0	139.385
Class 2 not in HCA	0.165	0.822	0	0	0	0.651
Class 3 not in HCA	6.52	48.502	0	0	0.709	2.332
Class 4 not in HCA	0	0.787	0	0	0.312	0
not in HCA subTotal	12.306	77.114	0	0	1.021	142.368
Total	38.064	105.673	0	0	3.745	143.588
PT ≥ 1.25 MAOP Total			143.737	Total Miles Internal Inspection ABL		41.809
1.25 MAOP > PT ≥ 1.1 MAOP Total			0	Total Miles Internal Inspection NOT ABL		249.261
PT < 1.1 or No PT Total			147.333	Grand Total		291.07
Grand Total			291.07			

For the designated Commodity Group, complete PART N one time for all of the pipelines and/or pipeline facilities included within this OPID, and then also PART O if any gas transmission pipeline facilities included within this OPID have Part L HCA mile value greater than zero.

PART N - PREPARER SIGNATURE

Roger Ragoonanan

(702)876-7359

Telephone Number

Preparer's Name(type or print)

Administrator/Compliance

Preparer's Title

Roger.Ragoonanan@swgas.com

Preparer's E-mail Address

PART O - CERTIFYING SIGNATURE (applicable only to PARTs B, F, G, and M1)

(702)876-7123

Telephone Number

Anita M. Romero

Senior Executive Officer's name certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)

Senior Vice President/Staff Operations & Technology

Senior Executive Officer's title certifying the information in PARTs B, F, G, and M as required by 49 U.S.C. 60109(f)

Anita.Romero@swgas.com

Senior Executive Officer's E-mail Address